



PRODUCT

CATALOGUE




The Science Behind Our Products

Farécla compounds use diminishing abrasives to do 2 jobs in 1.

Phase 1: Abrasive particles mechanically cut away the scratch marks left after sanding. Throughout that phase they steadily diminish in size and roughness.

Phase 2: Diminished abrasives polish the surface to a deep gloss finish.

The unique abrasives in G3 Premium have been tailor made for Farécla in order to optimise the fine balance between cut and polish, achieving a superb permanent finish in superfast time.



The above graph indicates the benefits in performance with G3 Premium compared to competitor products. It shows that G3 Premium can achieve a higher cut for longer and still finish with a higher gloss level quicker.

PRODUCTS	CTN. QTY	CODE	PAGE
G3 COMPOUNDS, GLAZES & WAXES			
G3 Premium Abrasive Compound 500g	12	G3P506	3 & 5
G3 Premium Abrasive Compound 1kg	6	G3P101	3 & 5
G3 Regular Grade Paste Compound 250g	24	G3-250	4
G3 Regular Grade Paste Compound 400g	12	G3-400	4
G3 Regular Grade Paste Compound 1kg	12	G3-1000	4
G3 Regular Grade Paste Compound 3kg	4	G3-3000	4
G3 Fine Finishing Compound 500g	12	G3F501	6
G3 Fine Finishing Compound 1kg	6	G3F101	6
G3 Fine Finishing Compound 1 US gallon	2	G3F118	6
G3 Glaze Gloss Enhancer 500ml	12	G3G501	7
G3 Glaze Gloss Enhancer 1 ltr	6	G3G101	7
G3 Glaze Gloss Enhancer 1 US gallon	2	G3G118	7
G3 Wax Premium Liquid Protection 500ml	12	G3W501	8
G3 Wax Premium Liquid Protection 1 ltr	6	G3W106	8
G3 Wax Premium Liquid Protection 1 US gallon	2	G3W118	8
G3 Detailer Liquid Spray Wax 1 US gallon	2	G3D118	9
G3 Premium Mini Polisher Kit	1	KTP012	10

G MOP APPLICATORS			
NEW G Mop 6" High Cut Foam (2 pack)	12	GMC618	11
NEW G Mop 8" High Cut Foam (1 pack)	12	GMC818	11
G Mop 3" Yellow Compounding Foam (5 pack)	6	GMC312	11
G Mop 6" Yellow Compounding Foam (2 pack)	12	GMC612	11
G Mop 8" Yellow Compounding Foam (1 pack)	12	GMC812	11
G Mop 6" Wet Use Compounding Foam	24	GMC606	11
G Mop 8" Twisted Wool Pad - Single Sided	12	GMW801	11

G Mop 8" Twisted Wool Pad - Double Sided	12	GMW806	11
G Mop 3" Lambs Wool Pad (5 pack)	6	GML301	12
G Mop 6" Lambs Wool Pad	12	GML601	12
G Mop 8" Lambs Wool Pad	12	GML801	12
G Mop 3" Finishing Foam (5 pack)	6	GMF301	12
G Mop 6" Finishing Foam (2 pack)	12	GMF601	12
G Mop 8" Finishing Foam	12	GMF801	12
G Mop Back Plate with Yellow Interface for 6" Pads - 14mm thread	6	GMB614	12
G Mop Back Plate with Yellow Interface for 6" Pads - 5/8" thread	6	GMB658	12
G Mop Back Plate with Yellow Interface for 6" Pads - 16mm thread	6	GMB616	12
NEW G Mop Flexible Back Plate for 6" Pads - 14mm thread	6	GMB146	12
NEW G Mop Flexible Back Plate for 6" Pads - 5/8" thread	6	GMB586	12
NEW G Mop Flexible Back Plate for 6" Pads - 16mm thread	6	GMB166	12
G Mop Flexible Back Plate for 8" Pads - 14mm thread	6	GMB814	12
G Mop Flexible Back Plate for 8" Pads - 5/8" thread	6	GMB858	12
G Mop Flexible Back Plate for 8" Pads - 16mm thread	6	GMB816	12
G Mop Bolt Adaptor for Double Sided Pads - 14mm thread	1	GMA014	12
G Mop Bolt Adaptor for Double Sided Pads - 5/8" thread	1	GMA058	12
G Mop Bolt Adaptor for Double Sided Pads - 16mm thread	1	GMA016	12

WIPES, ANCILLARIES, TOOLS & EQUIPMENT

G Mop Finishing Cloth (3 x cloths)	12	FC-3	13
G Mop Finishing Cloth (100 x cloths)	1	FC-100	13
G Wipe Degreasing Cloths (100 x wipes)	1	1050200	13
G Wipe Polishing Cloths (100 x wipes)	1	1050100	13
Autopen - yellow (24)	1	AP-5YW	13
Autopen - white (24)	1	AP-5WH	13
Water Spray Bottle (600ml)	25	WSB	13
AC Delco Mini Polisher for 3" Pads	1	FG-MINIPOL/1	14
AC Delco Mini Polisher Carbon Brushes (2)	1	MCB001	14
AC Delco Mini Polisher Battery	1	MBA001	14
AC Delco Mini Polisher Back Plate (75mm)	1	MBP701	14
Milwaukee® Polishing Machine for 6" Pads	1	FG-POLMAC	14
Milwaukee® Replacement Brushes (2)	1	4931369477	14
Milwaukee® Replacement Cable (4m, 24ov, QL)	1	4932373508	14
Rupes Heavy Duty Polisher for 6 or 8" Pads	1	FG-18EN	14
Spurring Brush	20	1090005	14
NEW G Plus 80°C Masking Tape (24mm x 50m x 36 rolls)	1	GPM101	10
NEW G Plus 80°C Masking Tape (36mm x 50m x 24 rolls)	1	GPM106	10
NEW G Plus 80°C Masking Tape (48mm x 50m x 24 rolls)	1	GPM112	10

OPTIMISED PAINT SYSTEM

Farécla OPS Flexible Paint Cup 300ml - 125 micron filter	45	PSC301	16
Farécla OPS Flexible Paint Cup 300ml - 190 micron filter	45	PSC306	16
Farécla OPS Flexible Paint Cup 600ml - 125 micron filter	45	PSC601	16
Farécla OPS Flexible Paint Cup 600ml - 190 micron filter	45	PSC606	16
Farécla OPS Rigid Clear Cup 650ml - Blank	200	PSM601	16
Farécla OPS Rigid Clear Cup 650ml - Printed	200	PSM606	16
Farécla OPS Stoppers (100 pack)	1	PSS001	16
Farécla OPS Adaptor A	1	PSA00A	17
Farécla OPS Adaptor B	1	PSA00B	17
Farécla OPS Adaptor C	1	PSA00C	17
Farécla OPS Adaptor D	1	PSA00D	17
Farécla OPS Adaptor E	1	PSA00E	17
Farécla OPS Adaptor F	1	PSA00F	17
Farécla OPS Adaptor G	1	PSA00G	17
Farécla OPS Adaptor H	1	PSA00H	17
Farécla OPS Adaptor L	1	PSA00L	17
Farécla OPS Adaptor Q	1	PSA00Q	18
Farécla OPS Adaptor R	1	PSA00R	18
Farécla OPS Adaptor S	1	PSA00S	18
Farécla OPS Adaptor T	1	PSA00T	18



G3 Premium Abrasive Compound

NEW



- For use on all paint types including the very latest energy or 'hyper' clearcoats
- Long lasting, powerful cut
- Permanent results fast - No fillers
- No dragging, staining or hazing on fresh paints
- No dusting or splatter. Exceptionally easy and quick to wipe off
- Can be used with a G mop Yellow Compounding Foam as well as a G Mop High Cut Foam

Sizes
500g
1kg

Codes
G3P506
G3P101

Qty
12
6

ALL
PAINT
TYPES

DRY USE

NO
FILLERS

Use With



G Mop High Cut Foam
GMC618 (6" / 150mm)
GMC818 (8" / 200mm)



G Mop Flexible Back
Plate for 6" Pads
GMB146 (14mm thread)
GMB586 (5/8" thread)
GMB166 (16mm thread)



G Mop Back Plate
with Yellow Interface
for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)

How To Use



Shake well



Apply a small
amount of
product



Spread then
compound at
900 - 1300rpm



Wipe clean
with a Cloth



G3 Regular Grade Paste Compound



- Reliable Cut - Removes P1500 or finer abrasive marks quickly and easily
- Permanent results fast - No fillers
- High Gloss System - Excellent gloss. Can be used with G3 Fine Finishing Compound for an enhanced gloss finish on dark colours
- Silicone Free - 100% paintshop safe
- Can be used by machine or hand

Sizes
250g
400g
1kg
3kg

Codes
G3-250
G3-400
G3-1000
G3-3000

Qty
24
12
12
4

MS
PAINTS


WET USE

NO
FILLERS

Use With



G Mop Wet Use
Compounding Foam
GMC606
(6" / 150mm)



G Mop Back Plate
with Yellow Interface
for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)




G Mop Flexible Back
Plate for 8" Pads
GMB814 (14mm thread)
GMB858 (5/8" thread)
GMB816 (16mm thread)


How To Use



Spray area
and pad
with water



Apply a small
amount of
product



Spread then
compound at
1500 - 1800rpm



Keep
lubricated



Wipe clean
with a Cloth



G3 Premium Abrasive Compound

NEW



- For use on all paint types including the very latest energy or 'hyper' clearcoats
- Excellent swirl free gloss finish
- Permanent results fast - No fillers
- For step 2: compound at a low speed
- No dusting or splatter. Exceptionally easy and quick to wipe off

Sizes
500g
1kg

Codes
G3P506
G3P101

Qty
12
6

ALL
PAINT
TYPES

DRY USE

NO
FILLERS

Use With



G Mop Finishing Foam
GMF301 (3" / 75mm)
GMF601 (6" / 150mm)
GMF801 (8" / 200mm)




G Mop Flexible Back
Plate for 6" Pads
GMB146 (14mm thread)
GMB586 (5/8" thread)
GMB166 (16mm thread)



G Mop Back Plate
with Yellow Interface
for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)

How To Use



Shake well



Apply a small
amount of
product



Attach the
foam and
prime



Spread then
compound at
800 - 1100rpm



Wipe clean
with a Cloth



G3 Fine Finishing Compound



- Quickly removes P3000 or finer sanding marks
- Swirls and holograms are eliminated permanently
- Restores lightly oxidised paint work and dull surfaces
- Can be used by machine with foam or lambs wool applicator as well as by hand
- Easy clean up, minimal splatter or dusting

Sizes
500ml
1 ltr
1 US gallon

Codes
G3F501
G3F101
G3F118

Qty
12
6
2

ALL
PAINT
TYPES

HAND OR
MACHINE

SWIRL
REMOVAL

Use With



G Mop Finishing Foam
GMF301 (3" / 75mm)
GMF601 (6" / 150mm)
GMF801 (8" / 200mm)



G Mop Flexible Back
Plate for 6" Pads
GMB146 (14mm thread)
GMB586 (5/8" thread)
GMB166 (16mm thread)



G Mop Back Plate
with Yellow Interface
for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)

How To Use



Shake well,
then prime the
pad



Apply a small
amount of
product



Compound
slowly - 1000rpm
to 2000rpm



DO NOT
ALLOW TO
DRY



Wipe clean
with a Cloth



G3 Glaze

Gloss Enhancer



- Provides added shine quickly with no need to re-apply, saving time and money
- Eliminate minor swirls and holograms from all paint systems to ensure a flawless finish
- Durable and water-repellent coating that allows fresh paint to breathe

Sizes	Codes	Qty
500ml	G3G501	12
1 ltr	G3G101	6
1 US gallon	G3G118	2

ALL
PAINT
TYPES

BY
MACHINE
OR HAND

FRESH
PAINT

Use With



G Mop Finishing Foam
GMF301 (3" / 75mm)
GMF601 (6" / 150mm)
GMF801 (8" / 220mm)



G Mop Back Plate with Yellow Interface for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)



Farécla Finishing Cloth (lint-free microfibre)
FC-3 (3 pack)
FC-100 (100 pack)

How To Use



Shake well



Apply a small amount of product



Attach the foam and prime



Spread then compound at 800 - 1100rpm



Wipe clean with a Cloth



G3 Wax

Premium Liquid Protection



- Provides a superior gloss finish on all types of fully cured paintwork
- Viscous formulation spreads easily providing a thick protective coating that won't dry out on the surface and buffs off quickly
- Does not dry out in use in direct sunlight so it can be applied outside
- Lasts up to 3 months for a longer lasting protection


Sizes	Codes	Qty
500ml	G3W501	12
1 ltr	G3W106	6
1 US gallon	G3W118	2

ALL
PAINT
TYPES

BY
HAND OR
MACHINE

FULLY
CURED
PAINT

Use With



Farécla Finishing Cloth (lint-free microfibre)
FC-3 (3 pack)
FC-100 (100 pack)




G Mop Finishing Foam
GMF301 (3" / 75mm)
GMF601 (6" / 150mm)
GMF801 (8" / 220mm)



G Mop Back Plate with Yellow Interface for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)

How To Use



Shake well



Apply a small amount of product



Rub on with a Finishing Cloth



Allow to dry to a haze



Wipe clean with a clean, dry Cloth



G3 Detailer

Liquid Spray Wax



- Simply spray or wipe on and buff off for a fast clean and 'just waxed' high gloss look
- Suitable for all surfaces such as paintwork, rubber, vinyl, glass, chrome and gel coats
- Prevents the build-up of contamination that can become ingrained between washes and removes fingerprints
- Does not remove previously applied waxes

Size
1 US gallon

Code
G3D118

Qty
2

USE BY
HAND

HIGH
GLOSS
FINISH

WATER-
LESS

Use With



Water Spray Bottle
WSB
(600ml)



G3 Detailer label
for Spray Bottle
PRM1144




Farécla Finishing Cloth
(lint-free microfibre)
FC-3 (3 pack)
FC-100 (100 pack)

How To Use



Shake and
fill a spray
bottle



Spray a small
amount where
needed



Buff and
wipe clean



G3 Premium Mini Polisher Kit

- Ideal for small, detailed areas such as side mirrors, trims and headlights

Kit Code
KTP012

Qty
1

Contents

G3 Premium 500g x 1
G3 Glaze 500ml x 1
Spurring Brush x 1
Finishing Cloth x 1

Codes
G3P506
G3G501
1090005
FC-3

Contents

AC Delco Mini Polisher x 1
G Mop 3" Yellow
Compounding Foams x 2
G Mop 3" Finishing Foams x 2

Codes
FG-MINIPOL-B
GMC312
GMF301



G Plus Products Consumable Range

The G Plus Range is a new collection of products, sourced from high grade material, they are ideal for tough bodyshop conditions. Look out for more G Plus items in the future!



G Plus 80°C Masking Tape

- Resistant to solvents and thinners
- Easy to tear and instant adhesion
- Industrial strength that can be used at temperatures up to 80°C
- Minimises bleed-through and doesn't leave residue after use

GPM101
(24mm x 50m x 36 rolls)

GPM106
(36mm x 50m x 24 rolls)

GPM112
(48mm x 50m x 24 rolls)



G Mop Applicator Range

Innovative Advanced Technology

The G Mop Range are applicators designed with Farécla compounds to create the best cut and finish on all surfaces. Each pad has unique qualities, and with certain compounds can solve rectification issues to achieve the best possible finish.

NEW


G Mop High Cut Foam

- High cut and rapid finish
- Superb handling and flexibility, glides easily over surface contours
- Open cell structure for dry-use compounds

GMC618 (6" / 150mm)
GMC818 (8" / 200mm)

**OUR BEST
EVER CUTTING
ACTION**


G Mop Yellow Compounding Foam

- Excellent cut and gloss
- Can be used with wet or dry use compounds

GMC312 (3" / 75mm)
GMC612 (6" / 150mm) **GMC812** (8" / 200mm)



G Mop Wet Use Compounding Foam

- Closed cell structure for wet-use compounds
- High cut and gloss
- Excellent value

GMC606 (6" / 150mm)



G Mop Twisted Wool Compounding Pads - Single and Double Sided

- Twisted wool for a greater cut
- High cut
- 100% pure, 4 ply, twisted wool

GMW801 (8" / 200mm - Single Sided)
GMW806 (8" / 200mm - Double Sided)



G Mop Lambs Wool Pad

- For dry-use compounds
- Medium cut
- Finer finish than Twisted Wool Pads


GML301 (3" / 75mm)
GML601 (6" / 150mm)
GML801 (8" / 200mm)



G Mop Finishing Foam

- Soft, open cell structure
- Light cut
- High gloss finish

GMF301 (3" / 75mm)
GMF601 (6" / 150mm)
GMF801 (8" / 200mm)



G Mop Back Plate with Yellow Interface Pad for 6" Pads

- Integral versatile soft interface

GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)



G Mop Flexible Back Plate

- Flexible for easy use on difficult areas

NEW For 6" Pads	For 8" Pads
GMB146 (14mm thread)	GMB814 (14mm thread)
GMB586 (5/8" thread)	GMB858 (5/8" thread)
GMB166 (16mm thread)	GMB816 (16mm thread)



G Mop Bolt Adaptor for Double Sided Pads

- Quick screw on and off design

GMB014 (14mm thread)
GMB058 (5/8" thread)
GMB016 (16mm thread)



Finishing Cloth

- Lint-free
- Microfibre cloth
- Can be washed up to 100 times

Product Codes

FC-3 (3 x cloths)

FC-100 (100 x loose cloths)



G Wipe Degreasing Wipes

- Ideal for cleaning before painting
- Non-snagging and low linting
- Ideal for use with waterborne degreasers
- Highly absorbant - holds 9 x its weight in water / solvents

Product Code **1050200** (100 x wipes)



G Wipe Polishing Wipes

- Ideal for removing glaze and polish
- Highly absorbant
- Solvent resistant
- Does not scratch surfaces

Product Code **1050100** (100 x wipes)



Autopen - for Job Identification

- Non staining (bodywork) fluorescent pen
- Does not wash off in the rain, but does come off with a wipe

Product Codes

AP5YW24 (yellow)

AP5WH24 (white)



Water Spray Bottle

- Gives an even dispersal of water
- Ensures a supply of clean water, minimises contamination

Product Code

WSB (600ml)



AC Delco Mini Polsher

- 75mm cordless polishing machine
- Lithium-Ion batteries life up to 45 mins
- Ideal for polishing small areas
- Includes charging unit and spare battery

FOR 3"
(75mm)
PADS

Product Code **FG-MINIPOL/1**

AC Delco Mini Polisher Brushes **MCB001**

AC Delco Mini Polisher Battery **MBA001**

AC Delco Mini Polisher Back Plate **MBP701**



Milwaukee Polishing Machine

- Variable speed, designed to reduce heat when polishing
- Quiet start up motor and safety switch
- 3 years warranty if you register online at www.milwaukee.co.uk

FOR 6"
(150mm)
PADS

Product Code **FG-POLMAC**

Milwaukee Replacement Carbon Brushes **4931369477**

Milwaukee Replacement Cable - 4m **4932373508**



Rupes Heavy Duty Polisher

- Soft start, lightweight and powerful
- Ergonomical and reversible side handle for a comfortable grip - left or right handed operator
- Electronic speed control
- Double gear reduction

FOR 8"
(200mm)
PADS

Product Code **FG-18EN**



Spurring Brush

- Quick pad cleaning tool for manually cleaning compound from wool pads and foams spun on a polisher
- Promotes longevity of pads

Product Code

1090005



SIMPLE



Farécla OPS Flexible Paint Cups & Rigid Clear Cups

Optimised 2-piece Paint System

Farécla's Optimised Paint System is an innovative process for the preparation and application of both solvent and water based paints.

Thanks to its robust 2-piece design, paint can be mixed directly in the cup, quickly assembled, used, re-filled and disposed of which guarantees a cost effective job.



ROBUST, 2 PIECE, CLOSED SYSTEM ENSURES NO LEAKAGE



CLOSED SYSTEM ALLOWS FOR INVERTED SPRAYING



UPSIDE DOWN STORAGE PREVENTS FILTER DRYING OUT



CUP COLLAPSES DOWN TO MINIMISE WASTE DISPOSAL


Other Key Benefits

- **Simple** and **quick** - only 2 pieces (instead of up to 4)
- No outer cup required so visibility of the paint remaining in the cup is increased
- Robust gun to cup connection and closed cup system - no chance of breaking or leaks and allows for inverted spraying in hard to reach areas
- Blank Rigid Clear Cups are available for "over the scales" mixing reducing the chance of erroneous mixes
- Rigid cup stays in mixing area, reducing risk of contamination in spray booth
- Disposable system means time saved on cleaning and cost savings on solvents



Product	Sizes	Codes	Qty.
Farécla OPS Flexible Paint Cup - 125 micron filter	300ml	PSC301	45
Farécla OPS Flexible Paint Cup - 190 micron filter	300ml	PSC306	45
Farécla OPS Flexible Paint Cup - 125 micron filter	600ml	PSC601	45
Farécla OPS Flexible Paint Cup - 190 micron filter	600ml	PSC606	45
Farécla OPS Rigid Clear Cup - Blank	650ml	PSM601	200
Farécla OPS Rigid Clear Cup - Printed	650ml	PSM606	200
Farécla OPS Stoppers	-	PSS001	100

USE



STORE





Farécla OPS Adaptors

Which adaptor to use with your paint gun

The Farécla Optimised Paint System allows great flexibility in many ways, including fitting your favourite spray guns. Here are the types of adaptors in the Farécla OPS range and which spray guns they are used with.



Adaptor Type A PSA00A

Bernardo Eccenaro, Iwata (W-400, WR-400, LPA-94, VXL-949, LPH400), Max-Air, Pro-Tek, SATA (NR 92 HVLP, Jet B GR, Jet GR 92 B, Jet B, Jet B NR 95 HVLP, Jet B NR 92)



Adaptor Type B PSA00B

Aerometal, Air Gunsa (AR3, AZ3-HTE, AZ30-HTE), Eminent (E13, AZ3 HVLP, AZ3 HET), Iwata (Supernova WS 400), Sagola (Lux). DeVilbiss (GTi, GTi Pro, PRi, GFP, GFV, GFHV-510, SRi Pro, GTi Pro Lite)



Adaptor Type C PSA00C

DeVilbiss (GTi, GTi Pro, PRi, GFP, GFV, GFHV-510, SRi Pro, GTi Pro Lite)



Adaptor Type D PSA00D

Air Gunsa (AZ4 Serial 75 - primer), Walcom (Geo F/X 97, FX HVLP, Slim)



Adaptor Type E (sometimes used with Type Q) PSA00E

Kremlin (M21G), SATA (KLC - HVLP/RP/P, MCB family, Jet RP, Jet RP Digital, Jet 2000 HVLP, LM 2000 B, NR 2000 Digital, Jet 90/S), Walcom Genesi



Adaptor Type F PSA00F

Sagola, Sagola Mini



Adaptor Type G PSA00G

SATA Minijet, Sagola Mini



Adaptor Type H PSA00H

Aircraft



Adaptor Type L PSA00L

Sagola (4400 Xtreme)



Adaptor Type Q (SATA QCC Adaptor - use with Type E) PSA00Q

SATA (Jet 2000 +Type E, Jet 3000 +Type E, Jet 4000 +Type E, Jet 5000 +Type E)



Adaptor Type S PSA00S

Iwata LPH 80 (SMART repair)



Adaptor Type R PSA00R

DeVilbiss (guns with guages)



Adaptor Type T PSA00T

DeVilbiss SRI (SMART repair)

GUN MAKE	GUN MODEL	ADAPTOR
Aerometal	-	B
Aircraft	-	H
Air Gunsa	AR3, AZ3-HTE, AZ30-HTE	B
Air Gunsa	AZ4 Serial 75 (primer)	D
Bernardo Eccenaro	-	A
DeVilbiss	Guns with guages	R
DeVilbiss	SRI (SMART repairs)	T
DeVilbiss	All other models	C
Eminent	E13, AZ3 HVLP, AZ3 HET	B
Iwata	Supernova WS 400	B
Iwata	LPH 80 (SMART repair)	S
Iwata	All other models	A
Kremlin	M21G	E
Max-Air	-	A
Pro-Tek	-	A
Sagola	-	F
Sagola	4400 Xtreme	L
Sagola	Lux	B
Sagola	Mini	F/G
SATA	Mini	G
SATA	NR 92 HVLP, Jet B GR, Jet GR 92 B, Jet B, Jet B NR 95 HVLP, Jet B NR 92	A
SATA	KLC (HVLP/RP/P), MCB family, Jet RP, Jet RP Digital	E
SATA	Jet 2000	E + Q
SATA	Jet 2000 HVLP, LM 2000 B, NR 2000 Digital	E
SATA	Jet 3000, 4000 & 5000	E + Q
SATA	Jet 90/S	E
Walcom	GEO F/X 97, FX HVLP, Slim	D
Walcom	Genesi	E



Farécla Products Limited,
Broadmeads, Ware,
Hertfordshire, SG12 9HS
England

Tel: +44 (0) 1920 465041
Fax: +44 (0) 1920 466557
E-Mail: enquiries@farecla.com

www.farecla.com

